


LC 200 (DIESEL)- '09YM



LC 200(4.0L, V6)- '09YM

LC 4.0 G 9 (M/T & A/T)	LC 4.0 GX-R 8 Safari (M/T & A/T)	LC 4.0 GX-R 8 Safari SPL A/T
<p>Size-LxWxH (mm): 4950x1970x1890 Wheelbase (mm): 2850 9 Seater configuration 4.0Ltr, V6, DOHC, EFI, VVTi Engine > 240 HP, 38.3 Kg-m (SAE Net) Exhaust Emission control: EURO III Suspension: Ind. Double Wishbone/ Coil spring 5-Speed Manual/Multimode Auto Transmission A/T with Super ECT & Shift-lock mechanism Full-time 4WD w/ Torque Sensing Center LSD Dual Fuel Tank (93+45Ltrs) Brakes Fr & Rr: Ventilated Disc Multi terrain ABS +BA+EBD Accessory socket Fr (12V) Air conditioner/ Heater: Single, Auto Airbags: D+P Anti-theft Engine immobiliser system Audio: AM/FM, CST, 4 spk Auto Headlamp cut-off Bumpers: Colour keyed Cigarette lighter+Ashtray Console box with Rear A/C vent Cupholders: 2 (Fr) Floor mats Foot rest for Driver Fr seat belts: 3PELRx2+PT+FL Front Intermittent wipers Front Seat: Separate type Glass integrated Antenna Glove box with lamp High mount stop lamp Illuminated entry system Impact sensing Fuel cut-off system Inner Rear view mirror: Day/ Night Meter Illumination control Mudguards Pintle Hook Power Steering Power Window / Door Lock / Outer mirrors Rear Differential: LSD Rear headrests: 3 (2nd row) Rear Intermittent Wiper Rear Luggage Door: Lift up type Rear seat: 2nd row - 60:40+Reclining+Slide Rear seat: 3rd row - Parallel Rear Window Defogger Rr seat belts: 3PELRx3 Seat material: Fabric Smart Entry + Smart Start/ Stop System Spare wheel carrier: Floor w/lock Steering column:Tilt+Telescopic Steering wheel/ Gear knobs: Urethane Tire Brand: Dunlop Tire: 245/75R17 Styled discs Towing hooks: Fr 2+ Rr 1 Windshield+Side Glasses: Green tinted</p>	<p>8 Seater configuration Audio: AM/FM, CST, 6 CD/MP3 changer, 6 Spk Body stripe (GX design) Blue tooth telephone kit Chrome plated Door outside handles/ Outer mirrors Cool box Cupholders: 2 (Fr)+4 (3rd row) Door courtesy reflectors (Fr+Rr) Fire extinguisher Floor Carpet: Fabric Fr. Fog Lamps Headlamp cleaners: Retractable type Headlamps: Xenon type (Hi beam) Headlamp Leveling function Inner Rear view mirror: Electrochromic Radiator Grille & Back door garnish: Gold plated Rear A/C (Manual) Rear headrests: 3 (2nd row)+ 3 (3rd row) Rear seat: 3rd row - 50:50 Transverse Rear Spoiler Rr seat belts: 3PELRx6 Sensors: Front (2pc)+ Rear (3pc) Side step (Aluminum) with Cover Spare tyre cover: Hard type Spare wheel carrier: Door mounted Sunvisor: D+P with illuminated Vanity mirror Tire: 285/65R17 Alloy wheels Windshield glass with Top shade Woodgrain Paneling :Instrument Panel, Trim Woodgrain Paneling : Steering Wheel & Gear Knob <u>"FLR" version is with.</u> > Spare wheel carrier: Floor w/lock > Sensors: Front (2pc)+ Rear (4pc) > W/O Spare tyre cover</p>	<p>Coloured Keyed Bumper Guard w/ extension Chrome Rear lamp garnish Compass Cruise control Door scuff plate with Illumination Floor Mats-Superior type (1st,2nd & 3rd row seats) Fr & Rr Personal lamps Moon roof Overhead Console (small type) Rear Differential: Diff-Lock Roof rail <u>"FLR" version is with.</u> > Spare wheel carrier: Floor w/lock > Sensors: Front (2pc)+ Rear (4pc) > W/O Spare tyre cover</p>

LC 200 (4.7L, V8)- '09YM

LC 4.7 GX-R 8 Safari A/T FLR
 Size-LxWxH (mm): 4950x1970x1890
 Wheelbase (mm): 2850
 8 Seater configuration
 4.7Ltr, V8, DOHC, EFI, VVTi Engine
 > 271 HP, 41.8 Kg-m (SAE Net)
 Exhaust Emission control: EURO III
 Suspension: Ind. Double Wishbone/ Coil spring
 5-Speed Multimode Automatic Transmission
 A/T with Super ECT & Shift-lock mechanism
 Full-time 4WD w/ Torque Sensing Center LSD
 Dual Fuel Tank (93+45Ltrs)
 Brakes Fr & Rr: Ventilated Disc
 Multi terrain ABS +BA+EBD
 Accessory socket Fr (12V)
 Air conditioner/ Heater: Fr Auto+Rr Manual
 Airbags: D+P
 Anti-theft Engine immobiliser system
 Audio: AM/FM, CST, 6 CD/MP3 changer, 6 Spk
 Auto Headlamp cut-off
 Body stripe (GX design)
 Blue tooth telephone kit
 Bumpers: Colour keyed
 Chrome plated Door outside handles/ Outer mirrors
 Cigarette lighter+Ashtray
 Console box with Rear A/C vent
 Cool box
 Cruise control
 Cupholders: 2 (Fr)+4 (3rd row)
 Door courtesy reflectors (Fr+Rr)
 Fire extinguisher
 Floor Carpet: Fabric
 Floor Mats-Superior type (1st,2nd & 3rd row seats)
 Foot rest for Driver
 Fr seat belts: 3PELRx2+PT+FL
 Fr. Fog Lamps
 Front Intermittent wipers
 Front Seat: Separate type
 Glass integrated Antenna
 Glove box with lamp
 Headlamp cleaners: Retractable type
 Headlamps: Xenon type (Hi beam)
 Headlamp Leveling function
 High mount stop lamp
 Illuminated entry system
 Impact sensing Fuel cut-off system
 Inner Rear view mirror: Electrochromic
 Meter Illumination control
 Mudguards
 Pintle Hook
 Power Steering
 Power Window / Door Lock / Outer mirrors
 Radiator Grille & Back door garnish: Gold plated
 Rear Differential: LSD
 Rear headrests: 3 (2nd row)+ 3 (3rd row)
 Rear Intermittent Wiper
 Rear Luggage Door: Lift up type
 Rear seat: 2nd row - 60:40+Reclining+Slide
 Rear seat: 3rd row - 50:50 Transverse
 Rear Spoiler
 Rear Window Defogger
 Rr seat belts: 3PELRx6
 Seat material: Fabric
 Sensors: Front (2pc)+ Rear (4pc)
 Side step (Aluminum) with Cover
 Smart Entry + Smart Start/ Stop System
 Spare wheel carrier: Floor w/lock
 Steering column:Tilt+Telescopic
 Sunvisor: D+P with illuminated Vanity mirror
 Tire Brand: Dunlop
 Tire: 285/65R17 Alloy wheels
 Towing hooks: Fr 2+ Rr 1
 Windshield glass with Top shade
 Windshield+Side Glasses: Green tinted
 Woodgrain Paneling :Instrument Panel, Trim
 Woodgrain Paneling : Steering Wheel & Gear Knob

LC 4.7 GX-R 8 Safari SPL A/T
Coloured Keyed Bumper Guard w/ Extension
 Chrome Rear lamp garnish
 Compass
 Door scuff plate with Illumination
 Fr & Rr Personal lamps
 Moon roof
 Overhead Console (small type)
 Rear Differential: Diff-Lock
 Roof rail
 Sensors: Front (2pc)+ Rear (3pc)
 Spare wheel carrier: Door mounted
 Spare tyre cover: Hard type
"FLR" version is with,
 > Spare wheel carrier: Floor w/lock
 > Sensors: Front (2pc)+ Rear (4pc)
 > W/O Spare tyre cover

LC 4.7 GX-R 8 Safari S.SPL A/T+Navi
 Airbags: D+P+Curtain(Fr+2nd+3rd)+Side (Fr)
 Audio: AM/FM, CST, Single CD/DVD/MP3 player, 6 spk
 Dual Spare wheels: Floor+Door mounted
 Electrical Winch
 Navigation system with 6.5" touch-screen
 W/O Bumper Guard
 W/O Headlamp cleaner
"FLR" version is with,
 > Spare wheel carrier: Floor w/lock
 > Coloured Keyed Bumper Guard w/ Extension
 > Headlamp cleaner
 > Sensors: Front (2pc)+ Rear (4pc)
 > W/O Winch
 > W/O Spare tyre cover

LC 4.7 VX-R 8 A/T
 Airbags: D+P+Curtain(Fr+2nd+3rd)+Side(Fr)
 Anti-theft: Immobiliser+Alarm system
 Body stripe (VX design)
 Cupholders: 2 (Fr)+2 (2nd row)+4 (3rd row)
 Door courtesy lamps (Fr+Rr)
 Driver seat: Power Lumbar support
 Driver Seat: Vertical Adjuster
 Floor Mats Superior type -VX design (1st,2nd & 3rd row seats)
 Kinetic Dynamic Suspension System (KDSS)
 Multi Information Display
 Optitron Meters
 Overhead Console (large type)
 Power Window with Remote
 Rear Armrest for 2nd row seat
 Rear seat: 2nd row - 40:20:40+Reclining+Slide
 Seat Back pockets (D+P)
 Seat belts (2nd row): 3PELRx3 +PT+ALR
 Seat material: Moquette fabric
 Side step (VX design)
 Smart Entry+Push Start+Hazard answerback+Remote
 Steering wheel: Leather+Wood w/Audio + MID switches
 Sunvisor with Sub-visor
 Variable Intermittent Fr Wiper
 VSC+ATRC+HAC+CRAWL control system
 W/O Chrome Rear lamp garnish
 W/O Door scuff plate with Illumination
 W/O Moon roof
 W/O Rear Diff-Lock
 W/O Roof rail
"FLR" version is with,
 > Spare wheel carrier: Floor w/lock
 > Sensors: Front (2pc)+ Rear (4pc) w/Display
 > W/O Spare tyre cover

LC 4.7 VX-R 8 SPL A/T FLR+Navi
 Audio: AM/FM/SW, 6 DVD changer, Blue tooth, 9 spk
 Auto Rear A/C with 4 seats Ind. Control
 Back view Camera
 Chrome Rear lamp garnish
 Door scuff plate with Illumination
 Moon roof with Remote
 Navigation system with 8" touch screen
 Overhead Console (small type)
 Roof rail
 Spare wheel carrier: Floor w/lock
 Sensors: Front (2pc)+ Rear (4pc) w/Display
 W/O Cassette player
 W/O Spare tyre cover

LC 4.7 VX-R 8 S.SPL A/T+Navi
 Airbags: Side (2nd row)+Knee(D+P)
 Automatic Light Control system
 Dual Spare wheels: Floor+Door mounted
 Power Front seats
 Remote Engine Starter
 Seat material: Leather
 Sensors: Front (2pc)+ Rear (3pc)
 Spare tyre cover: Hard type
 Steering column: Power Tilt+Telescopic
"FLR" version is with,
 > Spare wheel carrier: Floor w/lock
 > Sensors: Front (2pc)+ Rear (4pc) w/Display
 > W/O Spare tyre cover
 > W/O Rear view Camera

LANDCRUISER WAGON - '09YM SPECIFICATIONS

TOYOTA LANDCRUISER 200 G 9 DSL	TOYOTA LANDCRUISER 200 G 9 DSL (PDO)	TOYOTA LANDCRUISER 200 GX-R 8 SAFARI DSL	TOYOTA LANDCRUISER 200 GX-R 8 SAFARI SPL DSL A/T	TOYOTA LANDCRUISER 200 GX-R 8 SAFARI SPL DSL A/T FLR+CSAB
VDJ200L-GPMNZV/VDJ-01	VDJ200L-GPMNZV/VDJ-04	VDJ200L-GNMNZV/VDJ-02	VDJ200L-GNTNZV/VDJ-13	VDJ200L-GNTNZV/VDJ-15
WAGON	WAGON	WAGON	WAGON	WAGON
4950X1970X1890	4950X1970X1890	4950X1970X1890	4950X1970X1890	4950X1970X1890
2850	2850	2850	2850	2850
225	225	225	225	225
5,9	5,9	5,9	5,9	5,9
2600	2600	2630	2640	2640
3300	3300	3300	3300	3300
93+45	93+45	93+45	93+45	93+45
4461	4461	4461	4461	4461
217 / 3600	217 / 3600	217 / 3600	232 / 3200	232 / 3200
43.8 / 1200-3600	43.8 / 1200-3600	43.8 / 1200-3600	62.7 / 1800-2200	62.7 / 1800-2200
V8,DOHC,32V, TWIN TURBO INTERCOOLER	V8,DOHC,32V, TWIN TURBO INTERCOOLER	V8,DOHC,32V, TWIN TURBO INTERCOOLER	V8,DOHC,32V, TWIN TURBO INTERCOOLER	V8,DOHC,32V, TWIN TURBO INTERCOOLER
COMMON RAIL	COMMON RAIL	COMMON RAIL	COMMON RAIL	COMMON RAIL
DIESEL	DIESEL	DIESEL	DIESEL	DIESEL
N.A.	N.A.	N.A.	N.A.	N.A.
5 - M/T	5 - M/T	5 - M/T	6- A/T (with Super ECT & Shift Lock)	6 SP A/T w/S ECT & SHIFT LOCK
FULL TIME	FULL TIME	FULL TIME	FULL TIME	FULL TIME
TORSEN LSD	TORSEN LSD	TORSEN LSD	TORSEN LSD, DIFF LOCK	TORSEN LSD, DIFF LOCK
245/75R17	245/75R17	285/65R17	285/65R17	285/65R17
STYLED DISC	STYLED DISC	ALLOY	ALLOY	ALLOY
WITH/WITH	WITH/WITH	WITH/WITH	WITH/WITH	WITH/WITH
WITH	WITH	WITH	WITH	WITH
VENT.DISC/VENT.DISC	VENT.DISC/VENT.DISC	VENT.DISC/VENT.DISC	VENT.DISC/VENT.DISC	VENT.DISC/VENT.DISC
DBL WISHBONE(IND.)	DBL WISHBONE(IND.)	DBL WISHBONE(IND.)	DBL WISHBONE(IND.)	DBL WISHBONE(IND.)
COIL SPRING(RIGID)	COIL SPRING(RIGID)	COIL SPRING(RIGID)	COIL SPRING(RIGID)	COIL SPRING(RIGID)
MULTI TERRAIN +EBD+BA	MULTI TERRAIN +EBD+BA	MULTI TERRAIN +EBD+BA	MULTI TERRAIN +EBD+BA	MULTI TERRAIN +EBD+BA
WITH	WITH	WITH	WITH	WITH
D+P	D+P	D+P	D+P	D+P+CURTAIN+SIDE(FR)
COLOUR KEYED	COLOUR KEYED	COLOUR KEYED	COLOUR KEYED	COLOUR KEYED
WITH	WITH	WITH	WITH	WITH
GREEN	GREEN	GREEN+TOP SHADE	GREEN+TOP SHADE	GREEN+TOP SHADE
WITHOUT	WITHOUT	WITHOUT	WITHOUT	WITHOUT
WITHOUT	WITHOUT	WITHOUT	WITHOUT	WITHOUT
WITHOUT	WITHOUT	GX DESIGN	GX DESIGN	GX DESIGN
WITH	WITH	WITH	WITH	WITH
WITHOUT	WITHOUT	CHROME	CHROME	CHROME
WITH	WITH	WITH	WITH	WITH
BLACK	BLACK	CHROME	CHROME	CHROME
WITHOUT	WITHOUT	ALUMINUM	ALUMINUM +COVER	ALUMINUM +COVER
WITHOUT	WITHOUT	WITHOUT	CLR KEYED BUMPER GUARD W/ EXTENSION	CLR KEYED BUMPER GUARD W/ EXTENSION
WITH REAR AC VENT	WITH REAR AC VENT	WITH REAR AC VENT	WITH REAR AC VENT	WITH REAR AC VENT
WITHOUT	WITHOUT	WITHOUT	WITH (INSTRUMENT PANEL,TRIM)	WITH (INSTRUMENT PANEL,TRIM)
WITHOUT	WITHOUT	WITHOUT	WITH	WITH
WITH	WITH	WITH	WITH	WITH
FABRIC	FABRIC	FABRIC	FABRIC	FABRIC
3PELRx2+PT+FL	3PELRx2+PT+FL	3PELRx2+PT+FL	3PELRx2+PT+FL	3PELRx2+PT+FL
WITHOUT	WITHOUT	WITHOUT	WITHOUT	WITHOUT
WITHOUT	WITHOUT	WITHOUT	WITHOUT	WITHOUT
WITHOUT	WITHOUT	WITHOUT	WITHOUT	WITHOUT
3PELRx3	3PELRx3	3PELRx6	3PELRx6	3PELRx6
3 (2nd ROW)	3 (2nd ROW)	3 (2nd ROW)+3 (3 ROW)	3 (2nd ROW)+3 (3 ROW)	3 (2nd ROW)+3 (3 ROW)
60:40+RECLINING +SLIDE	60:40+RECLINING +SLIDE	60:40+RECLINING +SLIDE	60:40+RECLINING +SLIDE	60:40+RECLINING +SLIDE
WITHOUT	WITHOUT	WITHOUT	WITHOUT	WITHOUT
PARALLEL	PARALLEL	50:50 TRANSVERSE	50:50 TRANSVERSE	50:50 TRANSVERSE
FRONT & 2ND ROW ONLY	FRONT & 2ND ROW ONLY	FRONT & 2ND ROW ONLY	FRONT & 2ND ROW ONLY	FRONT & 2ND ROW ONLY
WITH	WITH	WITH	WITH	WITH
WITHOUT	WITHOUT	WITHOUT	FRONT PERSONAL LAMP	FRONT PERSONAL LAMP
WITHOUT	WITHOUT	WITHOUT	WITHOUT	WITHOUT
DAY/NIGHT	DAY/NIGHT	ELECTROCHROMIC	ELECTROCHROMIC	ELECTROCHROMIC
D+P	D+P	D+P	D+P	D+P
WITHOUT	WITHOUT	D+P WITH ILLUMINATION	D+P WITH ILLUMINATION	D+P WITH ILLUMINATION
9	9	8	8	8
INTERMITTENT	INTERMITTENT	INTERMITTENT	INTERMITTENT	INTERMITTENT
INTERMITTENT	INTERMITTENT	INTERMITTENT	INTERMITTENT	INTERMITTENT
WITH	WITH	WITH	WITH	WITH
WITH	WITH	WITH	WITH	WITH
SMART ENTRY +PUSH START	SMART ENTRY +PUSH START	SMART ENTRY +PUSH START	SMART ENTRY +PUSH START	SMART ENTRY +PUSH START
WITHOUT	WITHOUT	WITHOUT	WITHOUT	WITHOUT
WITH	WITH	WITH	WITH	WITH
WITH	WITH	WITH	WITH	WITH
WITH	WITH	WITH	WITH+SCUFF PLATE ILLUM.	WITH+SCUFF PLATE ILLUM.
AM/FM	AM/FM	AM/FM	AM/FM	AM/FM
WITH 4 SPK	WITH 4 SPK	WITH 6 CD /MP3 CHANGER, 6 SPK	WITH 6 CD /MP3 CHANGER, 6 SPK	WITH 6 CD /MP3 CHANGER, 6 SPK
GLASS INTEGRATED	GLASS INTEGRATED	GLASS INTEGRATED	GLASS INTEGRATED	GLASS INTEGRATED
WITH(FR AUTO)/WITH	WITH(FR AUTO)/WITH	WITH FR AUTO, RR MAN/WITH	WITH FR AUTO, RR MAN/WITH	WITH FR AUTO, RR MAN/WITH
WITHOUT	WITHOUT	WITHOUT	WITH	WITH
WITHOUT	WITHOUT	WITHOUT	WITH	WITH
WITHOUT	WITHOUT	WITHOUT	2+3(FR+RR)	2+4(FR+RR)
WITHOUT	WITHOUT	WITHOUT	XENON TYPE (HI BEAM)	XENON TYPE (HI BEAM)
WITHOUT	WITHOUT	RETRACTABLE TYPE	RETRACTABLE TYPE	RETRACTABLE TYPE
WITHOUT	WITHOUT	WITHOUT	WITH	WITH
DIAL TYPE	DIAL TYPE	DIAL TYPE	DIAL TYPE	DIAL TYPE
WITHOUT	WITHOUT	WITHOUT	WITHOUT	WITHOUT
WITHOUT	WITHOUT	WITHOUT	WITHOUT	WITHOUT
WITHOUT	WITHOUT	WITHOUT	WITH	WITH
ENGINE IMMOBILISER	ENGINE IMMOBILISER	ENGINE IMMOBILISER	ENGINE IMMOBILISER	ENGINE IMMOBILISER
WITH	WITH	WITH	WITH	WITH
WITHOUT	WITHOUT	WITH	WITH	WITH
WITH	WITH	WITH	WITH	WITH
FLOOR W LOCK/WITHOUT	FLOOR +DOOR MOUNTED/SOFT	DOOR MOUNTED/HARD	DOOR MOUNTED/HARD	FLOOR W/ LOCK/WITHOUT
WITHOUT	WITHOUT	WITHOUT	WITH	WITH
STD	STD	STD	STD	STD
WITHOUT	WITHOUT	WITHOUT	WITH	WITH
WITHOUT	WITHOUT	WITHOUT	WITHOUT	WITHOUT
WITHOUT	WITHOUT	WITHOUT	WITH	WITH
WITH	WITH	WITH	WITH	WITH
WITH	WITH	WITH	WITH	WITH

LANDCRUISER WAGON - '09YM SPECIFICATIONS

TOYOTA LANDCRUISER 200 4.7 GX-R 8 SAFARI A/T FLR UZJ200L-GNANKV/UZJ-11	TOYOTA LANDCRUISER 200 4.7 GX-R 8 SAFARI SPL A/T UZJ200L-GNANKV/UZJ-02	TOYOTA LANDCRUISER 200 4.7 GX-R 8 SAFARI SPL A/T FLR UZJ200L-GNANKV/UZJ-12	TOYOTA LANDCRUISER 200 4.7GX-R 8 SAFARI S.SPL A/T+NAVI UZJ200L-GNANKV/UZJ-03	TOYOTA LANDCRUISER 200 4.7GX-R 8 SAFARI S.SPL A/T+NAVI FLR UZJ200L-GNANKV/UZJ-13
WAGON	WAGON	WAGON	WAGON	WAGON
4950X1970X1890	4950X1970X1890	4950X1970X1890	4950X1970X1890	4950X1970X1890
2850	2850	2850	2850	2850
225	225	225	225	225
5,9	5,9	5,9	5,9	5,9
2550	2550	2550	2550	2550
3300	3300	3300	3300	3300
93+45	93+45	93+45	93+45	93+45
4664	4664	4664	4664	4664
271 / 5400	271 / 5400	271 / 5400	271 / 5400	271 / 5400
41.8 / 3400	41.8 / 3400	41.8 / 3400	41.8 / 3400	41.8 / 3400
V8, DOH, 32V	V8, DOH, 32V	V8, DOH, 32V	V8, DOH, 32V	V8, DOH, 32V
EFI, VVTi	EFI, VVTi	EFI, VVTi	EFI, VVTi	EFI, VVTi
UNLEADED GASOLINE	UNLEADED GASOLINE	UNLEADED GASOLINE	UNLEADED GASOLINE	UNLEADED GASOLINE
WITH	WITH	WITH	WITH	WITH
5- A/T (with Super ECT & Shift Lock)	5- A/T (with Super ECT & Shift Lock)	5- A/T (with Super ECT & Shift Lock)	5- A/T (with Super ECT & Shift Lock)	5- A/T (with Super ECT & Shift Lock)
FULL TIME	FULL TIME	FULL TIME	FULL TIME	FULL TIME
TORSEN LSD	TORSEN LSD, DIF LOCK	TORSEN LSD, DIF LOCK	TORSEN LSD, DIF LOCK	TORSEN LSD, DIF LOCK
285/65R17	285/65R17	285/65R17	285/65R17	285/65R17
ALLOY	ALLOY	ALLOY	ALLOY	ALLOY
WITH/WITH	WITH/WITH	WITH/WITH	WITH/WITH	WITH/WITH
WITH	WITH	WITH	WITH	WITH
VENT.DISC/VENT.DISC	VENT.DISC/VENT.DISC	VENT.DISC/VENT.DISC	VENT.DISC/VENT.DISC	VENT.DISC/VENT.DISC
DBL WISHBONE(IND.)	DBL WISHBONE(IND.)	DBL WISHBONE(IND.)	DBL WISHBONE(IND.)	DBL WISHBONE(IND.)
COIL SPRING(RIGID)	COIL SPRING(RIGID)	COIL SPRING(RIGID)	COIL SPRING(RIGID)	COIL SPRING(RIGID)
MULTI TERRAIN +EBD+BA	MULTI TERRAIN +EBD+BA	MULTI TERRAIN +EBD+BA	MULTI TERRAIN +EBD+BA	MULTI TERRAIN +EBD+BA
WITH	WITH	WITH	WITH	WITH
D+P	D+P	D+P	D+P+CURTAIN+SIDE(FR)	D+P+CURTAIN+SIDE(FR)
COLOUR KEYED	COLOUR KEYED	COLOUR KEYED	COLOUR KEYED	COLOUR KEYED
WITH	WITH	WITH	WITH	WITH
GREEN+TOP SHADE	GREEN+TOP SHADE	GREEN+TOP SHADE	GREEN+TOP SHADE	GREEN+TOP SHADE
WITH	WITH	WITH	WITH	WITH
WITHOUT	WITH	WITH	WITH	WITH
GX DESIGN	GX DESIGN	GX DESIGN	GX DESIGN	GX DESIGN
WITH	WITH	WITH	WITH	WITH
CHROME	CHROME	CHROME	CHROME	CHROME
WITH	WITH	WITH	WITH	WITH
CHROME	CHROME	CHROME	CHROME	CHROME
ALUMINUM +COVER	ALUMINUM +COVER	ALUMINUM +COVER	ALUMINUM +COVER	ALUMINUM +COVER
WITHOUT	CLR KEYED BUMPER GUARD W/ EXTENSION	CLR KEYED BUMPER GUARD W/ EXTENSION	WITHOUT	CLR KEYED BUMPER GUARD W/ EXTENSION
WITH REAR AC VENT	WITH REAR AC VENT	WITH REAR AC VENT	WITH REAR AC VENT	WITH REAR AC VENT
WITH (INSTRUMENT PANEL,TRIM)	WITH (INSTRUMENT PANEL,TRIM)	WITH (INSTRUMENT PANEL,TRIM)	WITH (INSTRUMENT PANEL,TRIM)	WITH (INSTRUMENT PANEL,TRIM)
WITH	WITH	WITH	WITH	WITH
WITH	WITH	WITH	WITH	WITH
FABRIC	FABRIC	FABRIC	FABRIC	FABRIC
3PELRx2+PT+FL	3PELRx2+PT+FL	3PELRx2+PT+FL	3PELRx2+PT+FL	3PELRx2+PT+FL
WITHOUT	WITHOUT	WITHOUT	WITHOUT	WITHOUT
WITHOUT	WITHOUT	WITHOUT	WITHOUT	WITHOUT
WITHOUT	WITHOUT	WITHOUT	WITHOUT	WITHOUT
3PELRx6	3PELRx6	3PELRx6	3PELRx6+ (PT & ALR -2ND)	3PELRx6+ (PT & ALR -2ND)
3 (2nd ROW)+3 (3 ROW)	3 (2nd ROW)+3 (3 ROW)	3 (2nd ROW)+3 (3 ROW)	3 (2nd ROW)+3 (3 ROW)	3 (2nd ROW)+3 (3 ROW)
60:40+RECLINING +SLIDE	60:40+RECLINING +SLIDE	60:40+RECLINING +SLIDE	60:40+RECLINING +SLIDE	60:40+RECLINING +SLIDE
WITHOUT	WITHOUT	WITHOUT	WITHOUT	WITHOUT
50:50 TRANSVERSE	50:50 TRANSVERSE	50:50 TRANSVERSE	50:50 TRANSVERSE	50:50 TRANSVERSE
FRONT & 2ND ROW ONLY	FRONT & 2ND ROW ONLY	FRONT & 2ND ROW ONLY	FRONT & 2ND ROW ONLY	FRONT & 2ND ROW ONLY
WITH	WITH	WITH	WITH	WITH
WITHOUT	FF+RR PERSONAL LAMP	FF+RR PERSONAL LAMP	FF+RR PERSONAL LAMP	FF+RR PERSONAL LAMP
WITHOUT	WITHOUT	WITHOUT	WITHOUT	WITHOUT
ELECTROCHROMIC	ELECTROCHROMIC	ELECTROCHROMIC	ELECTROCHROMIC	ELECTROCHROMIC
D+P	D+P	D+P	D+P	D+P
D+P WITH ILLUMINATION	D+P WITH ILLUMINATION	D+P WITH ILLUMINATION	D+P WITH ILLUMINATION	D+P WITH ILLUMINATION
8	8	8	8	8
INTERMITTENT	INTERMITTENT	INTERMITTENT	INTERMITTENT	INTERMITTENT
INTERMITTENT	INTERMITTENT	INTERMITTENT	INTERMITTENT	INTERMITTENT
WITH	WITH	WITH	WITH	WITH
WITH	WITH	WITH	WITH	WITH
SMART ENTRY +PUSH START	SMART ENTRY +PUSH START	SMART ENTRY +PUSH START	SMART ENTRY +PUSH START	SMART ENTRY +PUSH START
WITHOUT	WITHOUT	WITHOUT	ELECTRICAL	WITHOUT
WITH	WITH	WITH	WITH	WITH
WITH	WITH	WITH	WITH	WITH
WITH	WITH+SCUFF PLATE ILLUM.	WITH+SCUFF PLATE ILLUM.	WITH+SCUFF PLATE ILLUM.	WITH+SCUFF PLATE ILLUM.
AM/FM	AM/FM	AM/FM	AM/FM	AM/FM
WITH 6 CD /MP3 CHANGER, 6 SPK	WITH 6 CD /MP3 CHANGER, 6 SPK	WITH 6 CD /MP3 CHANGER, 6 SPK	WITH CD /MP3/DVD PLAYER, 6 SPK	WITH CD /MP3/DVD PLAYER, 6 SPK
GLASS INTEGRATED	GLASS INTEGRATED	GLASS INTEGRATED	GLASS INTEGRATED	GLASS INTEGRATED
WITH FR AUTO, RR MAN/WITH	WITHFR AUTO, RR MAN/WITH	WITH FR AUTO, RR MAN/WITH	WITH FR AUTO, RR MAN/WITH	WITH FR AUTO, RR MAN/WITH
WITH	WITH	WITH	WITH	WITH
WITH	WITH	WITH	WITH	WITH
2+4(FR+RR)	2+3(FR+RR)	2+4(FR+RR)	2+3(FR+RR)	2+4(FR+RR)
XENON TYPE (HI BEAM)	XENON TYPE (HI BEAM)	XENON TYPE (HI BEAM)	XENON TYPE (HI BEAM)	XENON TYPE (HI BEAM)
RETRACTABLE TYPE	RETRACTABLE TYPE	RETRACTABLE TYPE	WITHOUT	WITH
WITHOUT	WITH	WITH	WITH	WITH
DIAL TYPE	DIAL TYPE	DIAL TYPE	DIAL TYPE	DIAL TYPE
WITHOUT	WITHOUT	WITHOUT	WITH 6.5 TOUCH SCREEN	WITH 6.5 TOUCH SCREEN
WITHOUT	WITHOUT	WITHOUT	WITHOUT	WITHOUT
WITH	WITH	WITH	WITH	WITH
ENGINE IMMOBILISER	ENGINE IMMOBILISER	ENGINE IMMOBILISER	ENGINE IMMOBILISER	ENGINE IMMOBILISER
SUP TYPE (ALL ROWS)	SUP TYPE (ALL ROWS)	SUP TYPE (ALL ROWS)	SUP TYPE (ALL ROWS)	SUP TYPE (ALL ROWS)
WITH	WITH	WITH	WITH	WITH
WITH	WITH	WITH	WITH	WITH
FLOOR W/ LOCK/WITHOUT	DOOR MOUNTED/HARD	FLOOR W/ LOCK /WITHOUT	FLOOR +DOOR MOUNTED/HARD	FLOOR W/ LOCK/WITHOUT
WITH	WITH	WITH	WITH	WITH
STD	STD	STD	STD	STD
WITHOUT	WITH	WITH	WITH	WITH
WITHOUT	WITH	WITH	WITH	WITH
WITHOUT	WITHOUT	WITHOUT	WITHOUT	WITHOUT
WITH	WITH	WITH	WITH	WITH
WITH	WITH	WITH	WITH	WITH
WITH	WITH	WITH	WITH	WITH

LANDCRUISER WAGON - '09YM SPECIFICATIONS

TOYOTA LANDCRUISER 200 4.7 VX-R 8 A/T	TOYOTA LANDCRUISER 200 4.7 VX-R 8 A/T FLR	TOYOTA LANDCRUISER 200 4.7 VX-R 8 SPL A/T+FLR+NAVI	TOYOTA LANDCRUISER 200 4.7 VX-R 8 S SPL A/T+NAVI	TOYOTA LANDCRUISER 200 4.7 VX-R 8 S SPL A/T+NAVI+FLR
UZJ200L-GNAEKV/UZJ-21	UZJ200L-GNAEKV/UZJ-31	UZJ200L-GNAEKV/UZJ33	UZJ200L-GNAEKV/UZJ-22	UZJ200L-GNAEKV/UZJ-32
WAGON	WAGON	WAGON	WAGON	WAGON
4950X1970X1890	4950X1970X1890	4950X1970X1890	4950X1970X1890	4950X1970X1890
2850	2850	2850	2850	2850
225	225	225	225	225
5.9	5.9	5.9	5.9	5.9
2590	2590	2590	2590	2590
3300	3300	3300	3300	3300
93+45	93+45	93+45	93+45	93+45
4664	4664	4664	4664	4664
271 / 5400	271 / 5400	271 / 5400	271 / 5400	271 / 5400
41.8 / 3400	41.8 / 3400	41.8 / 3400	41.8 / 3400	41.8 / 3400
V8, DOH, 32V	V8, DOH, 32V	V8, DOH, 32V	V8, DOH, 32V	V8, DOH, 32V
EFI, VVTi	EFI, VVTi	EFI, VVTi	EFI, VVTi	EFI, VVTi
UNLEADED GASOLINE	UNLEADED GASOLINE	UNLEADED GASOLINE	UNLEADED GASOLINE	UNLEADED GASOLINE
WITH	WITH	WITH	WITH	WITH
5- A/T (with Super ECT & Shift Lock)	5- A/T (with Super ECT & Shift Lock)	5- A/T (with Super ECT & Shift Lock)	5- A/T (with Super ECT & Shift Lock)	5- A/T (with Super ECT & Shift Lock)
FULL TIME	FULL TIME	FULL TIME	FULL TIME	FULL TIME
TORSEN LSD+VSC+ATRC+HAC+CRAWL	TORSEN LSD+VSC+ATRC+HAC+CRAWL	TORSEN LSD+VSC+ATRC+HAC+CRAWL	TORSEN LSD+VSC+ATRC+HAC+CRAWL	TORSEN LSD+VSC+ATRC+HAC+CRAWL
285/65R17	285/65R17	285/65R17	285/65R17	285/65R17
ALLOY	ALLOY	ALLOY	ALLOY	ALLOY
WITH/WITH	WITH/WITH	WITH/WITH	WITH/WITH(POWER)	WITH/WITH(POWER)
WITH	WITH	WITH	WITH(POWER)	WITH(POWER)
VENT.DISC/VENT.DISC	VENT.DISC/VENT.DISC	VENT.DISC/VENT.DISC	VENT.DISC/VENT.DISC	VENT.DISC/VENT.DISC
DBL WISHBONE(IND.)+KDSS	DBL WISHBONE(IND.)+KDSS	DBL WISHBONE(IND.)+KDSS	DBL WISHBONE(IND.)+KDSS	DBL WISHBONE(IND.)+KDSS
COIL SPRING(RIGID)	COIL SPRING(RIGID)	COIL SPRING(RIGID)	COIL SPRING(RIGID)	COIL SPRING(RIGID)
MULTI TERRAIN +EBD+BA	MULTI TERRAIN +EBD+BA	MULTI TERRAIN +EBD+BA	MULTI TERRAIN +EBD+BA	MULTI TERRAIN +EBD+BA
WITH	WITH	WITH	WITH	WITH
D+P+CURTAIN+SIDE(FR)	D+P+CURTAIN+SIDE(FR)	D+P+CURTAIN+SIDE(FR)	D+P+CURTAIN+SIDE(FR,RR)+KNEE(D+P)	D+P+CURTAIN+SIDE(FR,RR)+KNEE(D+P)
COLOUR KEYED	COLOUR KEYED	COLOUR KEYED	COLOUR KEYED	COLOUR KEYED
WITH	WITH	WITH	WITH	WITH
GREEN+TOP SHADE	GREEN+TOP SHADE	GREEN+TOP SHADE	GREEN+TOP SHADE	GREEN+TOP SHADE
WITH	WITH	WITH	WITH	WITH
WITHOUT	WITHOUT	WITH+REMOTE	WITH+REMOTE	WITH+REMOTE
VX DESIGN	VX DESIGN	VX DESIGN	VX DESIGN	VX DESIGN
WITH	WITH	WITH	WITH	WITH
CHROME	CHROME	CHROME	CHROME	CHROME
WITH	WITH	WITH	WITH	WITH
CHROME	CHROME	CHROME	CHROME	CHROME
ALUMINUM +COVER (VX DESIGN)	ALUMINUM +COVER (VX DESIGN)	ALUMINUM +COVER (VX DESIGN)	ALUMINUM +COVER (VX DESIGN)	ALUMINUM +COVER (VX DESIGN)
CLR KEYED BUMPER GUARD W/ EXTENSION	CLR KEYED BUMPER GUARD W/ EXTENSION	CLR KEYED BUMPER GUARD W/ EXTENSION	CLR KEYED BUMPER GUARD W/ EXTENSION	CLR KEYED BUMPER GUARD W/ EXTENSION
WITH REAR AC VENT	WITH REAR AC VENT	WITH REAR AC VENT	WITH REAR AC VENT	WITH REAR AC VENT
WITH (INSTRUMENT PANEL,TRIM)	WITH (INSTRUMENT PANEL,TRIM)	WITH (INSTRUMENT PANEL,TRIM)	WITH (INSTRUMENT PANEL,TRIM)	WITH (INSTRUMENT PANEL,TRIM)
LEATHER+WOOD+MID+AUDIO CTRL	LEATHER+WOOD+MID+AUDIO CTRL	LEATHER+WOOD+MID+AUDIO +TEL. CTRL	LEATHER+WOOD+MID+AUDIO +TEL. CTRL	LEATHER+WOOD+MID+AUDIO +TEL. CTRL
WITH	WITH	WITH	WITH	WITH
MOUQUETTE FABRIC	MOUQUETTE FABRIC	MOUQUETTE FABRIC	LEATHER	LEATHER
3PELRx2+PT+FL	3PELRx2+PT+FL	3PELRx2+PT+FL	3PELRx2+PT+FL	3PELRx2+PT+FL
DRIVER	DRIVER	DRIVER	DRIVER + PASSENGER	WITH(D+P)
WITH	WITH	WITH	WITH	WITH
WITH	WITH	WITH	WITH	WITH
3PELRx6+ (PT & ALR -2ND)	3PELRx6+ (PT & ALR -2ND)	3PELRx6+ (PT & ALR -2ND)	3PELRx6+ (PT & ALR -2ND)	3PELRx6+ (PT & ALR -2ND)
3 (2nd ROW)+3 (3 ROW)	3 (2nd ROW)+3 (3 ROW)	3 (2nd ROW)+3 (3 ROW)	3 (2nd ROW)+3 (3 ROW)	3 (2nd ROW)+3 (3 ROW)
40+20+40+RECLINING +SLIDE	40+20+40+RECLINING +SLIDE	40+20+40+RECLINING +SLIDE	40+20+40+RECLINING +SLIDE	40+20+40+RECLINING +SLIDE
WITH(2 ND ROW)	WITH(2 ND ROW)	WITH(2 ND ROW)	WITH(2 ND ROW)	WITH(2 ND ROW)
50:50 TRANSVERSE	50:50 TRANSVERSE	50:50 TRANSVERSE	50:50 TRANSVERSE	50:50 TRANSVERSE
FRONT & 2ND ROW ONLY	FRONT & 2ND ROW ONLY	FRONT & 2ND ROW ONLY	FRONT & 2ND ROW ONLY	FRONT & 2ND ROW ONLY
WITH	WITH	WITH	WITH	WITH
FF+RR PERSONAL LAMP	FF+RR PERSONAL LAMP	FF+RR PERSONAL LAMP	FF+RR PERSONAL LAMP	FF+RR PERSONAL LAMP
MULTI INFORMATION DISPLAY	MULTI INFORMATION DISPLAY	MULTI INFORMATION DISPLAY	MULTI INFORMATION DISPLAY	MULTI INFORMATION DISPLAY
ELECTROCHROMIC	ELECTROCHROMIC	ELECTROCHROMIC	ELECTROCHROMIC	ELECTROCHROMIC
D+P WITH SUBVISOR	D+P WITH SUBVISOR	D+P WITH SUBVISOR	D+P WITH SUBVISOR	D+P WITH SUBVISOR
D+P WITH ILLUMINATION	D+P WITH ILLUMINATION	D+P WITH ILLUMINATION	D+P WITH ILLUMINATION	D+P WITH ILLUMINATION
8	8	8	8	8
VARIABLE INTERMITTENT	VARIABLE INTERMITTENT	VARIABLE INTERMITTENT	VARIABLE INTERMITTENT	VARIABLE INTERMITTENT
INTERMITTENT	INTERMITTENT	INTERMITTENT	INTERMITTENT	INTERMITTENT
WITH+REMOTE	WITH+REMOTE	WITH+REMOTE	WITH+REMOTE	WITH+REMOTE
WITH	WITH	WITH	WITH	WITH
SMART ENTRY +PUSH START+ REMOTE	SMART ENTRY +PUSH START+ REMOTE	SMART ENTRY +PUSH START+ REMOTE	SMART ENTRY +PUSH START+ REMOTE	SMART ENTRY +PUSH START+ REMOTE
WITHOUT	WITHOUT	WITHOUT	WITHOUT	WITHOUT
WITH	WITH	WITH	WITH	WITH
WITH	WITH	WITH	WITH	WITH
WITH	WITH	WITH+SCUFF PLATE ILLUM.	WITH+SCUFF PLATE ILLUM.	WITH+SCUFF PLATE ILLUM.
AM/FM	AM/FM	AM/FM/SW	AM/FM/SW	AM/FM/SW
WITH 6 CD /MP3 CHANGER, 6 SPK	WITH 6 CD /MP3 CHANGER, 6 SPK	W/O CST, W/ 6 DVD CHAN, 9 SPK	W/O CST, W/ 6 DVD CHAN, 9 SPK	W/O CST, W/ 6 DVD CHAN, 9 SPK
GLASS INTEGRATED	GLASS INTEGRATED	GLASS INTEGRATED	GLASS INTEGRATED	GLASS INTEGRATED
WITH FR AUTO, RR MAN/WITH	WITH FR AUTO, RR MAN/WITH	4 ZONE AUTO	4 ZONE AUTO	4 ZONE AUTO
WITH	WITH	WITH	WITH	WITH
WITH	WITH	WITH	WITH	WITH
2+3(FR+RR)	2+4(FR+RR)	2+4(FR+RR)	2+3(FR+RR)	2+4(FR+RR)
XENON TYPE (HI BEAM)	XENON TYPE (HI BEAM)	XENON TYPE (HI BEAM)	XENON TYPE (HI BEAM)	XENON TYPE (HI BEAM)
RETRACTABLE TYPE	RETRACTABLE TYPE	RETRACTABLE TYPE	RETRACTABLE TYPE	RETRACTABLE TYPE
WITHOUT	WITHOUT	WITH	WITH	WITH
DIAL TYPE	DIAL TYPE	DIAL TYPE	DIAL TYPE	DIAL TYPE
WITHOUT	WITHOUT	WITH 8" SCREEN+BACK VIEW CAMERA	WITH 8" TOUCH SCREEN	TH 8" TOUCH SCREEN+BACK VIEW CAMERA
WITHOUT	WITHOUT	WITHOUT	WITH	WITH
WITH	WITH	WITH	WITH	WITH
ENGINE IMMOBILISER+ALARM	ENGINE IMMOBILISER+ALARM	ENGINE IMMOBILISER+ALARM	ENGINE IMMOBILISER+ALARM	ENGINE IMMOBILISER+ALARM
SUPERIOR TYPE-VX DESIGN (ALL ROWS)	SUPERIOR TYPE-VX DESIGN (ALL ROWS)	SUPERIOR TYPE-VX DESIGN (ALL ROWS)	SUPERIOR TYPE-VX DESIGN (ALL ROWS)	SUPERIOR TYPE-VX DESIGN (ALL ROWS)
WITH	WITH	WITH	WITH	WITH
WITH	WITH	WITH	WITH	WITH
DOOR MOUNTED/HARD	FLOOR W/ LOCK/WITHOUT	FLOOR W/ LOCK/WITHOUT	FLOOR+DOOR MOUNTED/HARD	FLOOR WITH LOCK/WITHOUT
WITH	WITH	WITH	WITH	WITH
OPTITRON TYPE	OPTITRON TYPE	OPTITRON TYPE	OPTITRON TYPE	OPTITRON TYPE
WITH	WITH	WITH	WITH	WITH
WITHOUT	WITHOUT	WITH	WITH	WITH
WITHOUT	WITHOUT	WITHOUT	WITH	WITH
WITH	WITH	WITH	WITH	WITH
WITH	WITH	WITH	WITH	WITH
WITH	WITH	WITH	WITH	WITH